

# **ah! Soft Close**

# Soft Close

## introduction

**panoramah! soft close** system was developed to ensure comfort and speed control of sliding panels at the end of each closing action. The device allows for a smoother and gentle braking and avoids the undesired bounce-back effect, leading to an increased safety during operation. The system is fully integrated into the frame profiles in both ah!38 and ah!60 series and only visible inside the top frame when the window is open. On site, it is easily installed, adjusted and even replaced if needed.

**panoramah! Le système de fermeture amortie** a été développé pour assurer le confort et le contrôle de la vitesse des panneaux coulissants à la fin de chaque action de fermeture. Le dispositif permet un freinage plus doux et évite l'effet de rebond indésirable, conduisant à une sécurité accrue pendant le fonctionnement. Le système est entièrement intégré dans les profilés de cadre dans les séries ah!38 et ah!60 et visible uniquement à l'intérieur du cadre supérieur lorsque la fenêtre est ouverte. Sur place, il est facile à installer, à régler et même à remplacer si nécessaire.

### main features

<b>smooth braking</b> amortissement mécanique	•
<b>avoid bounce-back</b> éviter le rebond	•
<b>fully integrated</b> intégré au dormant	•
<b>max. weight</b> poids max.	400Kg

manual closing might be needed at the end



---

**we build ah!**



**unlimited perspective sa**  
ch philibert-de-sauvage 37  
1219 chatelaine  
switzerland

p. +41 21 804 1700  
f. +41 21 804 1709

info@panoramah.com  
www.panoramah.com

**facebook**  
[www.facebook.com/panoramah.ch/](http://www.facebook.com/panoramah.ch/)

**instagram**  
[www.instagram.com/\\_panoramah\\_/](http://www.instagram.com/_panoramah_/)