

ah!38 Pivot

ah!38 Pivot


introduction

ah!38 excels as an exterior opening system comprising a balanced combination of thermal and acoustic behavior, suited to all climates. It is a system that allows double glazed surface areas of up to 19m², or triple glazed of up to 6m². Both options use 23mm vertical profiles.
pivot: opening system that functions by means of a pivoting component with a central or side rotation axis, allowing the execution of large glass surfaces. It comes with different safety latch options.






Le ah!38 excelle en tant que système d'ouverture extérieure, combinant de manière équilibrée comportement thermique et acoustique, adapté à tous les climats. ah!38 permet des fenêtres minimalistes avec une surface en double vitrage allant jusqu'à 19m² ou en triple vitrage allant jusqu'à 6m², avec des profils verticaux de 23mm.

pivot: système d'ouverture qui fonctionne par le biais d'un élément pivotant avec un axe de rotation central ou latéral, permettant l'exécution de grandes surfaces en verre. Il présente plusieurs types de fermetures de sécurité.

opening system



birail



multirail

main dimensions up to

vertical profile profil vertical	23mm				
max. leaf height hauter max. du vitrage	6000mm				
max. leaf width longueur max. du vitrage	3000mm				
max. weight poids max.	up to 2.000kg / glass panel				
max. glazed area surface max. du vitrage	<table border="1"> <tr> <td>double glazing double vitrage</td> <td>up to 19m²</td> </tr> <tr> <td>triple glazing triple vitrage</td> <td>up to 6m²</td> </tr> </table>	double glazing double vitrage	up to 19m ²	triple glazing triple vitrage	up to 6m ²
double glazing double vitrage	up to 19m ²				
triple glazing triple vitrage	up to 6m ²				
glass thickness épaisseur du vitrage	38mm				

performance up to

light transmission transmission lumineuse	up to 98%	
thermal coefficient coefficient thermique	double triple	Uw = 1.165W/m ² .K (Ug = 0.7W/m ² .K) Uw = 0.816W/m ² .K (Ug = 0.47W/m ² .K)
security sécurité	RC2 / WK2	
sound insulation indice d'affaiblissement acoustique	35dB	
water tightness résistance à l'eau	Class 4A	
air tightness résistance à l'air	Class 2	
wind tightness résistance au vent	Class C5	



House in La Moraleja
Otto Medem Arquitectura
Madrid, Spain
© Antonio Lachos



version / leaf weight	profile / leaf height	lock	
		frame	leaf
pivot pivot	<140Kg	standard standard	<2800mm
floorspring floorspring	>140Kg <600Kg	reinforced reinforced	>2800mm
construction			
finishes finitions	All panoramah! ® System series guarantee that the following finishes are carried out by duly certified entities, according to QUALICOAT and QUALANOD directives: Lacquered RAL, Lacquered PVDS, Anodized, Satin, Polished and Repellent. Tous les traitements de surface panoramah! ® sont certifiés selon les directives QUALICOAT et QUALANOD: Laque RAL ou PVDS, anodisation naturelle ou couleur, satinée, polie ou brossée.		
add-ons add-ons	Heated glass / intrusion detectors Vitrage chauffé / détecteurs d'intrusion		
motorisation automatisation	Our motorisation system can be adapted to all sliding or opening systems allowing a full integration with minimum interference in architectural design with a simplified and very quiet opening. Notre système de motorisation peut être adapté à tous les systèmes coulissants ou ouvrants, permettant une intégration complète avec un minimum d'interférences dans la conception architecturale avec une ouverture simplifiée et très silencieuse.		

ah!38 Pivot

pivot common sections, manual lock | pivot sections communes, serrure manuelle

1:3

scale / échelle





ah!38 Pivot

pivot common sections, motorized lock | pivot sections communes, serrure motorisée


1:3

scale / échelle






Swissbau 2020 | Basel, Switzerland
Dulcinea Santos & Léonard Kadid
© panoramah!®



handle

finishes: brushed or lacquered steel



we build ah!



unlimited perspective sa
ch philibert-de-sauvage 37
1219 chatelaine
switzerland

p. +41 21 804 1700
f. +41 21 804 1709

info@panoramah.com
www.panoramah.com

facebook
www.facebook.com/panoramah.ch/

instagram
[www.instagram.com/_panoramah_ /](https://www.instagram.com/_panoramah_/)